# Electrothermal actuator for zone valves and terminal units

Model	Voltage	Control		
MVX21R	110-230Vac	ON/OFF		
MVX22R	110-230 vac			
MVX41R	24Vac/Vcc	UN/OFF		
MVX42R	24 Vac/ VCC			
MVX52	24Vac	Proportional		
MVX57	24 vac	0-10V		

#### APPLICATION AND USE

MVX electrothermal actuators can be used with Micra® and Micra® Kvs 4-6 valves (DBL199e and DBL293e).

#### OPERATION

The actuator-valve assembly is easily made thanks to its threaded ring nut, which allows a comfortable cable positioning. All models are provided with a yellow stroke indicator (see below). The actuators are available in the ON-OFF (230V and 24V) and in modulating (24V) with 0-10Vcc signal versions.


#### TECHNICAL CHARACTERISTICS

Supply voltage:	110 - 230Vac / 24Vac-Vcc				
	24Vac (only for MVX52-57)				
Frequency:	50/60Hz				
Power cable:	2m bipolar (0,35mm²)				
	2m triple-pole (0,35mm <sup>2</sup> ) for				
	MVX52 and MVX57				
Protection degree:	IP44 (vertical mounting)				
Temperature:					
- operation:	2T50°C				
- storage:	-10T60°C				
Force:	90N for MVX21R-41R-57				
	140N for MVX22R-42R-52				
Material:	Technopolymer fire-resistant case:				

class V0

Starting time:

Opening/dosing times








#### SAFETY PERSCRIPTIOS

230V products


- 1. Install on the power supply line a screening device to avoid short circuits (fuse or magneto-thermic) according to the specifi cations in force.
- 2. In case of actuator removing from skilled staff, be sure that the power supply is disconnected.
- 3. Products are maintenance free.


#### ELECTRICAL CONNECTIONS (MVX52-57)



#### DIMENSIONS (mm)

22





DBL418e

69

Actuator timing details (approx.) in seconds										
Actuator	Voltage	Valve opening		Valve closing (after 5' power on)		Valve closing (after 30' power on)				
		Dead zone	Total time	Dead zone	Total time	Dead zone	<u>Total time</u>			
MX21R-MVX22R	230V	80	230	180	390	150	400			
	110V	100	380	80	330	80	330			
MVX41R-MVX57 MVX42R-MVX52	2/11/	150	400	180	390	150	400			



### CONTROLLI S.p.A.

16010 SANT'OLCESE Genova - Italy Tel.: +39 01073061 Fax: +39 0107306870/871 E-mail: info@controlli.eu Web: www.controlli.eu

1

## MVX

CE